Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus
M.C. Balebona, M.A. Moriñigo (Malaga, Spain), A. Faris, K. Krovacek, I. Månsson (Uppsala, Sweden), M.A. Bordas and J.J. Borrego (Malaga, Spain) 113
Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France
M. Vigneulle and F. Baudin Laurencin (Plouzané, Brest, France) 121
Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis
C. Quentel and M. Ogier de Baulny (Plouzané, France) 125
Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater
D.G. Elliott, R.J. Pascho and A.N. Palmisano (Seattle, WA, USA) 133

Protozoa and Microsporidians

A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve)
F. Rodríguez and J.I. Navas (Huelva, Spain) 145
Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host
E. Sagristà, M. Durfort (Barcelona, Spain) and C. Azevedo (Porto, Portugal) 153
A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*
G.-H. Kou, C.-H. Wang, H.-W. Hung, Y.-S. Jang, C.-M. Chou and C.-F. Lo (Taipei, Taiwan ROC) 161

Helminths

A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal
M.J. Santos and J.C. Eiras (Porto, Portugal) 175

VOL. 132 NOS. 3,4 1 MAY 1995

Diseases, Parasites and Predators

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters
D. Hervio (La Tremblade, France), E. Bachère, V. Boulo (Montpellier, France), N. Cochennec (La Trinité Sur Mer, France), V. Vuillemin (La Tremblade, France), Y. Le Coguic (La Trinité Sur Mer, France), G. Cailletaux (La Tremblade, France), J. Mazurié (La Trinité Sur Mer, France) and E. Mialhe (Montpellier, France) 183
Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation
A.M.T. Dos Santos (Aveiro, Portugal) and J. Coimbra (Porto, Portugal) 195
Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV)
M. Arimoto (Nagasaki, Japan), T. Yamazaki (Kagoshima, Japan), Y. Mizuta (Hyogo, Japan) and I. Furusawa (Kyoto, Japan) 213
The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837)
J. Roper, T.H. Grayson (Plymouth, Devon, UK), P.G. Jenkins (Nottingham, UK), J.V. Hone, A.B. Wrathmell, P.M. Russell and J.E. Harris (Plymouth, Devon, UK) 221

Genetics and Breeding

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing
E. Garcia-Vazquez, P. Moran, A.R. Linde, A.M. Pendas and J.I. Izquierdo (Oviedo, Spain) 233

Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal
O. Linhart, P. Kvasnička, M. Flajšhans (Vodňany, Czech Republic), A. Kasal (Prague, Czech Republic), P. Ráb (Liběchov, Czech Republic), J. Paleček (Prague, Czech Republic), V. Šlechta (Liběchov, Czech Republic), J. Hamáčková (Vodňany, Czech Republic) and M. Prokeš (Brno, Czech Republic) 239

Husbandry and Management

Production of growth-enhancing particles in a plastic-lined shrimp pond
S.M. Moss (Honolulu, HI, USA) 253

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*)
A. Eves, C. Turner (Chatham Maritime, Kent, UK), A. Yakupitiyage, N. Tongdee and S. Ponza (Bangkok, Thailand) 261

Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels
N.S. Sumagaysay and I.G. Borlongan (Iloilo, Philippines) 273

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction
A. Fernö (Bergen, Norway), I. Huse (Storebø, Norway), J.-E. Juell and Å. Bjordal (Bergen, Norway) 285

Nutrition

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*
A.E. Fleming (Parkville Vic., Australia) 297

Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck
G. Martínez, L.A. Caceres, E. Uribe and M.A. Diaz (Coquimbo, Chile) 313

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.)
H. Fernández-Palacios (Telde Las Palmas, Canary Islands, Spain), M.S. Izquierdo, L. Robaina (Tafira Baja, Las Palmas, Canary Islands, Spain), A. Valencia, M. Salhi (Telde Las Palmas, Canary Islands, Spain) and J.M. Vergara (Tafira Baja, Las Palmas, Canary Islands, Spain) 325

Physiology and Endocrinology

Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967
A. Ostrensky (Paraná, Brazil) and W. Wasielesky Jr. (Rio Grande do Sul, Brazil) 339

Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*
R. Sampath-Kumar, R.E. Byers, A.D. Munro and T.J. Lam (Singapore, Singapore) 349

Technical Paper

Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*
Y. Mizukami, M. Okauchi (Nagasaki, Japan), H. Kito (Yamaguchi, Japan), S. Ishimoto, T. Ishida and M. Fuseya (Aichi, Japan) 361

Announcement 369

Contents of Aquaculture, Volume 132 370

Contents (continued)

Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels
N.S. Sumagaysay and I.G. Borlongan (Iloilo, Philippines) 273
Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction
A. Fernö (Bergen, Norway), I. Huse (Storebø, Norway), J.-E. Juell and Å. Bjordal (Bergen, Norway) 285

Nutrition
Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*
A.E. Fleming (Parkville Vic., Australia) 297
Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck
G. Martínez, L.A. Caceres, E. Uribe and M.A. Diaz (Coquimbo, Chile) 313
Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.)
H. Fernández-Palacios (Telde Las Palmas, Canary Islands, Spain), M.S. Izquierdo, L. Robaina (Tafira Baja, Las Palmas, Canary Islands, Spain), A. Valencia, M. Salhi (Telde Las Palmas, Canary Islands, Spain) and J.M. Vergara (Tafira Baja, Las Palmas, Canary Islands, Spain) 325

Physiology and Endocrinology
Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967
A. Ostrensky (Paraná, Brazil) and W. Wasielesky Jr. (Rio Grande do Sul, Brazil) 339
Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*
R. Sampath-Kumar, R.E. Byers, A.D. Munro and T.J. Lam (Singapore, Singapore) 349

Technical Paper
Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*
Y. Mizukami, M. Okauchi (Nagasaki, Japan), H. Kito (Yamaguchi, Japan), S. Ishimoto, T. Ishida and M. Fuseya (Aichi, Japan) 361

Announcement 369

Contents of *Aquaculture*, Volume 132 370